
na

To-

FRANK H. ROSE
1020 Poplar Street
Missoula, Montana, U.S.A.



ALPINES

and

WESTERN AMERICA NATIVE PLANTS

Use More Natives.

NATIVE PLANT SEED LIST From: FRANK H. ROSE

1020 Poplar Street

Missoula, Montana, U.S.A.

FOR				
rok			 	

Printed Matter

Return Postage Guaranteed

Plant and Seed List

Frank 74. Rose

1020 Poplar Street Missoula, Montana, U.S.A.

Your source for Western American Alpines and Native Plants of the Northern Rocky Mountain Region.

... All seed 25c per liberal, dated packet. Postpaid.

--- All plants \$2.50 per species, F.O.B. Missoula, Montana.

The more dots or dashes the more regularly collected.

The Following Key Letters Are Used:

PLANT DESCRIPTION

Bi. Biennial or short-lived perennial. All others perennials.

Bu. Bulbose. Br. Berries in fall.

Evergreen.

Sh. Shrub.

H. For border or for naturalization.

p. For pool or stream side.R. Suitable for rock-garden use.

wg. Better in wild garden.

Seeds collected.

Plants collected.

Others of this genus available. Acceptable substitutes. (You use this one.)

Order any desired species native to Montana, Idaho, or Northern Wyoming whether listed here or not. I will try to get what you want and will send, in season and usually dormant, three to a dozen or more of each species depending chiefly upon abundance. It is the time and travel necessary for the first one that fixes the \$2.50 per species charge. We have magnificent distances here in the West.

When possible, place your order well before the collecting season and indicate whether you prefer large......or small......plants. Sometimes there is a choice. No substitutions will be made unless authorized......but when authorized and necessary they will be charged at only half price.

Abies laciocarpa Alpine Fir T E 60' C M. grandis Grand Fir T E 90' M.W. Acer glabrum Mountain Maple Sh 12' M Cs. Aconitum columbianum Monkshood H blue 4' M. " lutescens wg yellowish-white 3' M-W Fo.

"Actaea arguta Baneberry wg white 3' Br red-white M F.

Alisma plantago-aquatica p white 1½' open W S.

"*Allium cernuum Nodding Purple Onion R 1¼' M d Cs-Fo.

"brevistylum p red 1¼' M-W Cs-Fo.

"schoenoprasum (sibricum) p lavender 1' W Cs.

"textile R white 6" D d S. Amelanchier alnifolia Service Berry Sh white 10' Br edible d M S.

Anaphalis margaritacea Pearly Everlasting H 1½' M Cs.

*Anemone cylindrica H white 1¼' M S.

"globosa H white 1¼' M S. occidentalis R white plumes 1' M C S. patens nuttalliana Pasque Flower R lavender 8" d S Dor. parviflora R A tiny A. globosa. M Cs Ph.7.*Antennaria aprica Pussy Toes R white 4" matting d M S. rosea R rose 9" M Cs. *Apocynum androsaemifolium Dogbane H pink 2' M d S. - Arabis lyallii Rock Cress R rose 5" d M Cs.
Aralia nudicaulis Wild Sarsaparilla wg 1' Br black M-W Fo.

--- Aquilegia flavescens Yellow Columbine wg nodding 2' M.W Fo Cs.

cushion of bluish leaves. Df d M Cs Cr Ph-8.

.... *Arenaria congesta R white 8" d M Cs.

..... Arcotostaphylos uva ursi Kinninnick Sh E prostrate Br red D-M Cs.

jonesii R Fls. erect deep blue with yellow anthers 5" from a

NATURAL HABITAT

Cold root-run as under a rock.

Cold sun or part shade.

Dry. Drought dry.

Drainage. Perfect or better, especially in winter.

Dry foliage as on a scree. Moist. At least in spring. Really wet as for Mimulus.

Virgin Forest soil with shade.

Fo. Open woods with part shade.
Ph.8. Lime. Ph.5. Acid

Dor. Preferably shipped dormant.

Check your experience with any familiar species against the Natural Habitat data given here. My limited gardening experience will not permit me to call it Cultural Directions. All plants will grow when we know and meet their minimum requirements. Even Mother Nature isn't always successful, so I appreciate your suggestions.

Use this list for your order if you wish, another will be sent you. Send no money until requested, unless substitution is authorized. I may not be able to get everything you want.

Perhaps you know of someone that might care to see this list. Send me the address and I will mail one. It's worth a stamp to hear from you.

subcongesta ? (lithophilla) more open inflorescence M d S. franklinii ? (hookeri) R caespitose D-M d S. obtusiloba R white 5" matting M d Cs. verna propinqua R white 4" tufted M Cs. . - - -*Arnica cordifolia wg yellow 1' Fo M Dor.

"fulgens R yellow 1½' M S.

"latifolia R yellow 1' Cs M d. *Artemisia frigida Frost Sage R soft gray mounds when trimmed D S.

Asarum caudatum Wild Ginger E wg brownish.purple 4" F M.

*Aster alpigenus haydeni R blue 3" C M S. (Oreostemma haydeni) falcatus R Sr white 18" D-M S. foliaceus H rose-purple 1' W Cs. integrifolius R violet-purple 1' M.W Cs. scopulorum R blue 4" D d S. Almost a mat. stenomeres B blue violet 9" M d Cs. Almost a shrub. *Astragalus purshii R purple white prostrate woolly pods M d S. striatus R pale purple 14' M.D S. succulentum Prairie Apples R purplish prostrate M.D S. "tegetarius R purple prostrate mat d M Cs Ph.8.

Balsamorrhiza sagittata R yellow 2' broad leaves tap rooted. d M S. Attractive in fl. coarse later. Root like a pachyderm's leg.

Berberis (Mahonia) repens Oregon Grape Sh E yellow 6" M Cs.

Blue Br fine for jelly. Holly like leaves color after frost.

Besseya rubra Kitten Tails R red 1' M Cs. Bupleurum americana R yellow.purple 5" M d Cs. Bossekia parviflora Sh white 4' large leaves Br red M d Cs. Boykinia major wg white 3' M.W Cs.Fo.



Brodiaea douglasii Bu H blue 1½' d D.M S.Fo. Few large bulbs. Chaenactis douglasii Bride's bouquet Bi whitish 1¼' D d S.
*Calochortus sp. mixed. Sego, Mariposa, or Butterfly Lily. Bu.

"apiculatus R white with black dot and yellow hairs 8" M F

elegans selwayensis R white with purple hairs 5" M Cs.Fo d.

"gunnisonii R H white purple base 12" M.D S. Bu edible.

"eurycarpus R H white.purple 9" M.D S.Fo.

"nuttallii R white with lavender blotch 10" D S. Bu edible.

"macrocarpus H purple 1¼' M.D S.

Caltha lentosepala Marsh Marigold p white 6" W Cs. Caltha leptosepala Marsh Marigold p white 6" W Cs.
Calypso bulbosa Fairy Slipper Bu wg orchid 5" single leaf M F.
Dor. June and should be moved then. Will bloom once if moved, active Calypso bulbosa Fairy Slipper Bu wg orchid 5" single leaf M F.
Dor. June and should be moved then. Will bloom once if moved, active
in spring or fall, from food in bulb, but seldom lives.

Camassia quamash Bu true blue rarely paler 1½' M.W S. Bu edible.

Campanula rotundifolia B blue 1¼' nodding d M S.Fo.

"parryi idahoensis R bluish purple 6" upright M d S.

*Castilleja hispida Paint Brush H scarlet.orange 1' d M S.Fo.

"miniata H scarlet 1½' M.W Fo.

Cassiope mertensiana Sh E white 8" M.W Cs.Fo.

Ceanothus velutinus Snowbrush Sh E white d M S.Fo.

*Chimaphilla umbellata Princes' Pine E wg pink 8" M F.

Chrysopsis villosa Golden Aster R yellow 8" D S d.

Cirsum foliosum Elk or Evert's Thistle noticeable, rt edible M S.

Claytonia lanceolata Spring Beauty Bu R pink 4' M Cs.

"megarrhiza Big.rooted Spring Beauty R pinkish M d Cs.

Clematis columbiana vine wg bluish.purple M Cr.Fo.

"hirsutissima Sugarbowl H nodding blue 1' M S d.

"ligusticifolia vine climbing white D.M S d.

"pseudoalpina tenuiloba R purple 8" d M Cr S Ph.8.

Clintonia uniflora Queen Cup wg white 5' Br procelain blue M F.

Collomia debilis R lavender 5" d M Cr Cs.

Cornus canadensis Bunch Berry Sh white 6" Br red M F.

"sericea Red Osier Dogwood Sh white 8' Br bluish M.W S.

Corydalis aurea R yellow 1' mound of bluish foliage M d Cs.

*Crataegus columbiana Hawthorn T white 20' Br red M S.

"douglasii T white 25' Br black M S. A bird catchall.

Cryptantha sheldonii Popcorn Flower Bi white 8" d D.M S. "sericea Red Osier Dogwood Sh white 8' Br bluish M.W S.
Coryadiis aurea R yellow 1' mound of bluish foliage M d Cs.

"Crataegus columbiana Hawthorn T white 20' Br red M S.

"douglasii T white 25' Br black M S. A bird catchall.
Cryptantha sheldonii Popcorn Flower Bi white 8' d D.M S.

"Cyptignedium montanum Lady's Slipper showy and to me poison M Fo.

"Delphinium bicolor R deep violet 1' d M.D S. Dor June.
Disporum oreganum Fairy Bells wg cream 1' Br reddish M F.

"trachycarpum 1' Br orange M F.

"Podecatheon cusickii R wg rose-purple d D.M S.Fo. Dor June.
Dormant roots keep well, often more than a year.

"pauciflorum R rose, purple line in throat 6" M Cs.

"radicatum p pale purple-blue 14'4' W Fo.Cs. Remember this one.
Douglasia montana R rose 2" cushion d M Df Cs.

"Praba andina R yellow 6" d M S Ph.7.

"densifolia R yellow caespitose M d Cs.

"paysoni R pale yellow 4" M d S.

Drosace carinata R white with yellow eye 2" M d Cs.

Drosace carinata R white with yellow eye 2" M d Cs.

Drosace carinata R white 6" W S. novelty.

"Dryas octopetala Mt. Dryad She E white carpeting d M C S.

Eleacegnus argentea Silver Berry Sh 8' M d S.

"canadensis Sh 6' Br red M d Cs.Fo.

"(Shepherdia) utilis Buffalo Berry Sh 10' Br red M d S.

Epilobium angustifolium Fire Weed wg lilac.purple 3' M S.

Erigeron sp. Fleabane Weedy ones not here listed.

*Erigeron sperugineus R deep blue 4" M d Cs Ph.8.

"compositus R white.pink 5" D.M d S. Var. nudus also here.

"vars. trifidus and pedatus similar but "pint" size.

"caespitosus R white 5" grayish foliage M-D Df d S.

"pumilus (concinnus) R H soft blue.pink 8" M.D Df d S.

"pumilus (concinnus) R H soft blue.pink 8" M.D Df d S.

"pumilus (concinnus) R H soft blue.pink 8" M.D Df d S.

"pumilus (concinnus) R H soft blue.pink 8" M.D Df d S.

"pumilus (romanensis R white 5" tufted D.M d S.

"peregrinus R H purple-violet 10" M.W Cs.

"simplex R light purple 4" stifted M.D d Ph.7.

"ursinus R violet 5" fibrous rooted M Cs d.

"Eriophyllum lanatum Oregon Sunshine R yellow 1' gray leaves d Cr S. "pyrolaefolium R white-rose 6" M d S.
"subalpinum R white 1' M d S.
Eriophorum sp. Cotton Grass p white 10" W S.
Eriophyllum lanatum Oregon Sunshine R yellow 1' gray leaves d Cr S.
"integrifolium R smaller and less gray M d Cs.

*Eritrichium elongatum Alpine Forget-me.not R blue, yellow eye.
E. howardii just as difficult, d Df M Cs Cr C. Sods if preferred.
Erysimum capitatum (elatum) Wallflower Bi yellow 9" D.M d S.
Erythronium grandiflorum Glacier Lily Bu yellow 1' M Cs.Fo.
Frasera speciosa Greengentain H greenish white 2' M d S Ph.7.

*Fritillaria pudica Yellow Bell Bu R nodding 6" D.M d S.
Gaillardia aristata Blanket Flower R H yellow-red 1' D.M S.
Gaillamboreale Arctic Bedstraw R white 10" M Cr Fo.S.
Gaultheria humifusa Aromatic or Western Wintergreen Sh E white prostrate ground cover with scarlet berries M-WCs.Fo Ph.6.
Gaura coccinea R pink or red 8" M.D d.

*Gentiana calycosa Blue Gentian p deep blue 6" C W S.

"romanzovii Alpine Gentian R white and purple 4" M Cs.
Sods or clumps of gentians if preferred. Heavier but safer.

*Geranium viscosissimum wg rose 2' M S.Fo.
Geum rossii Mountain Avens R yellow 8" M.D d Cs.

"triflorum Old Man's Whiskers R rose 1' D.M S.
Gilia aggregata Bi R H crimson 2' D.M d S.

"cephaloidea Bi R white 8" D.M d S Ph-8.

Goodyera oblongifolia Rattlesnake Plantain wg white 9" F M.
Gutierrezia sarothrae Matchbrush R Sh yellow 1' D.M S. Late.

*Habenaria dilatata White Bog Orchid p 2' W S.

*Haplopappus acaulis R yellow 6" matting green rigid leaves D d S.

"lanuginosus R yellow 6" soft gray foliage D d S.

*Heuchera cylindrica var. Alumroot R white 1½' d Cr. M.

"flabellifolia R matted foliage calyx redding brown 5' M Cs.

Holodiscus discolor Mt. Spray Sh white fading brown 5' M Cs.

Hydrophyllum capitatum R purple 4" M S.Fo Dor July.

Hypericum scouleri Saint John's Wort R yellow 1' M d S.

Hymenoxys acaulis Gold Flower R yellow 8" d D.M S.

"(Rydbergia) grandiflora R yellow 6" M Cs Ph-8. Old Man of the Mountain, or Sungod for common names. cephaloidea Bi R white 8" D-M d S Ph-8. "(Rydbergia) grandiflora R yellow 6" M Cs Ph-8. Old Mountain, or Sungod for common names.

Iris missouriensis R blue graceful 1½' M.W S.

Iliamna rivularis Wild Hollyhock H rose-purple 4' M d S.

Juniperus communis Sh E 3' Br blue M Cs.Fo.

"horizontalis Sh E prostrate carpeting M.D S d.

scopulorum Sh-T E variable and ornamental M S.

Kalmia microphylla Mt. Laurel Sh E rose 8" C W S Ph-5.

Larix lyallii Alpine Larch T 45' C M.

"occidentalis Western Larch T 100' C M F.

Leptodactylon (Gilia) pungens Sh white 1' D d S Larix lyallii Alpine Larch T 45′ C M.

"occidentalis Western Larch T 100′ C M F.
Leptodactylon (Gilia) pungens Sh white 1′ D d S.

*Lesquerella alpina R yellow 5″ tufted D.M d S.

"montana R yellow prostrate D.M d S.

*Lewisia rediviva Bitterroot R roser.arely white 3″ d D.M S. Dormant in July but usually available throughout the year.
Liatris punctata Blazing Star R rose.purple 10″ D S.
Linum lewisii Blue Flax R 6″.2′ depending on elevation. M S.
Lithophragma parviflora R white 9″ D.M S d Dor June.
Lloydia serotina Alps Lily Bu R white.purplish 5″ M d Cs Dor.
Lomatium macrocarpum Biscuit Root white 9″ D.W d S.
Luetkea pectinata Sh white fl. clusters on 4″ stems. Cr Cs M d.

*Lupinus depressus R blue caespitose M d Cs.

"lyallii R blue caespitose d M Cs.Fo.

"burkei L. sericeus or other tall ones blue.white 1½′ M S.

Mentzelia decapetala Evening Star H pale yellow 1½′ M d S.

*Mertensia alpina Bluebell D deep blue 8″ M Cr d Cs.

"ciliata wg blue 3′ M.W Fo.

"longiflora R blue 4″ M.D Fo Ph.6 Dor June.

"oblongifolia R blue, pink buds 6″ D.M S Dor July.

"paniculata wg blue with pink buds 2′ M Fo Ph.7.

Mimulus guttatus Monkey Flower p yellow 2′ W S.

"lewisii p red 1¼′ W d Cs.

"moschatus R yellow 4″ W Cs.Fo.

Musineon divaricatum hookeri R yellow 3″ D S.

*Mitella staurapetala Miterwort wg white pinkish 1′ moist banks O' C M F 1' D d S. " moschatus R yellow 4" W Cs.Fo.

Musineon divaricatum hookeri R yellow 3" D S.

*Mitella staurapetala Miterwort wg white pinkish 1' moist banks.

Monarda menthaefolia Horsemint H lavender 14' D d S. *Mitelia statispetala Miterwort wg white-pinkish i moist banks.

Monarda menthaefolia Horsemint H lavender 1¼' D d S.

Neobesseya missouriensis Pincushion Cactus greenish-yellow Br scarlet, spines, soft, zero hardy. Some clusters.

"vivipara Ball Cactus R bright purple Br green D S.

*Oenothera caespitosa Evening Primrose R white-pink M d S.

"heterantha R yellow M S.

Oplopanax horridum Devil's Club Sh 8' prickly Br red M.W Fo.

Opulaster malvaceus Nine-bark Sh white 5' M d.

Opuntia fragilis Jump Cactus yellow 5" D.M d S.

"polyacantha Prickly Pear Cactus lemon-yellow D S.

Oxyria digyna Alpine Sorrel R reddish 8" M.W d Cs.

Oxytropis albiflorus Loco R white 5" M S d.

"lambertii R purple 1' D S.

"splendens R purple 8" M S d.

Pachystima myrsinites Mt. Lover Sh E brownish red 1½' M Cs-Fo.

Parnassia fimbriata p white 10" W-M Cs-Fo Dor fall.

Paronychia sessiliflora Whitlow-wort R reddish cushion 3" D d S.

*Pedicularis ctenophora R red 8" S Cr d Ph-8.

"groenlandica surrecta Pink Elephants p red 1¼' W Ss Ph-6.

*Pensemon albertinus R blue 1' D-M d. One of the best. *Pedicularis ctenophora R red 8" S Cr a Ph.8.

"groenlandica surrecta Pink Elephants p red 1¼' W Ss Ph.6.

*Penstemon albertinus R blue 1' D.M d. One of the best.

"aridus B blue 6" D.M d S Df. On granite gravel.

"ellipticus R lavender sub-shrub d Cr M S.

"erianthus or var saliens R mottled 6" D.M d S. Large flowers.

"flavescens R wg pale yellow 8" M Cs. See picture.

"fruticosus Sh blue 1½' M d Cs.

"polyphyllus R intense sky blue 8" M d Cr S. Earliest.

"procerus B blue 1¼' M d S.Fo. Small flowers in heads.

"procerus B blue 1½' M d S.Fo. Small flowers in heads.

"procerus B blue 6" d M Cs. Alpine.

"wilcoxii H blue open panicle 1½' d Cs M. Ph.6.

Penstemonopsis tweedyi R white 6" d M Cs.Fo. Ph.6.

Petalostemon mollis Prairie Clover R pinkish 1' D S d.

Phacelia heterophylla Bi R blue to white 1¼' D d S.

"leucophylla Bi R lilac 1' D.M d S.

"sericea Bi R violet 9" M d S.

Philadelphus lewisii Mock Orange Sh white 8' M d S.

Philadelphus lewisii Mock Orange Sh white 8' M d S.

*Phlox sp. Moss Phlox R any available d Cr Df D.M S.

"alyssifolia collina pink fls Ph.8.

"albomarginata lilac with white rimmed leaves. d.

"bryoides lilac.white pulvinate smallest fls.

"caespitosa lavender.white alpine d.

"diffusa scleranthifolia lilae Fo.M. d. " bryoides lilac.white pulvinate smallest fls.
" cαespitosα lavender.white alpine d.
" diffusα sclerαnthifoliα lilac Fo M d.
" douglasiα rigidα white.lilac Sh 6".
" hoodii white.lilac pulvinate (4 var. available) D S.
" longifoliα Sweet William taller to 1' with woody base.
" missoulensis white.blue large fls. Ph-7 d S.
Phyllodoce emptriformis Red Heather Sh E pink 1½' M d Cs.
" glanduliflora or X yellowish 1' M-W d Cs. . - - -

Physaria didymocarpa lanata R yellow D.M Df d.
"geyeri R yellow M d Cr S Df. Ph.8.
Picea engelmanni T E 90' M.W. Piced engelmann T E 90' M.W.

Pinus albicaulis Whitebark Pine T E 40' alpine M C.

"flexilis Limber Pine T E 40' D.M S.

"monticola Western White Pine T E 100' bluish soft needles M F.

"ponderosa Western Yellow Pine T E 80' D S.

"murrayana Lodgepole Pine T E 60' C S. E. T. seed or seedlings mixed species.

*Polemonium confertum Sky Pilot R blue 1' Cr M d.

"haydeni R blue occasionally white easy 1' M d.

"occidentale H violet 3' M.W S. Ph.6.

"pulcherrimum Jacob's Ladder R light blue 8" M Cs d.

*Polygonum bistortoides wg white 1' M.W Cs.

"linearifolia smaller by half and more alpine.

*Potentilla convalaria R cream 1' d Df D.M S. (Dasiphora) fruticosa Shrubby Cinquefoil Sh yellow 3' M.W S. glandulosa H yellow 2' d M S.Fo. "anserina sericea Silverweed R yellow 4" trailing M S d.

*Primula parryi p crimson with yellow eye 1' d Cr M.W Df Cs.

Prunus demissa Choke Cherry Sh white 18' Br M d S.

Pseudotsuga taxifolia caesia Douglas Fir T E 80' C d. Our best Christmas Pseudotsuga taxifolia caesia Douglas Fir T E 80' C d. Our best Christmas tree and may be pruned for hedge.

*Pyrola asarifolia Wintergreen Wg E pink 8" F M.W.

" secunda wg white M.W Fo.

" (Moneses) uniflora Wood Nymph wg p F M.W.

Purshia tridentata Bitter Brush Sh yellow 2' d D S.

*Ranunculus glaberrimus R H waxy yellow 3" d M first spring flower.

" montanensis p pale yellow 1' W Cs.

" saxicola R yellow 3" M d Cs.

Batibida columnifera Cone Flower wg yellow purple 144' D.M. S. "saxicola R yellow 3" M d Cs.

Ratibida columnifera Cone Flower wg yellow-purple 1½' D-M S.

Rhus glabra Sumac Sh 5' Br red, crimson fall color. d M S.

"trilobata Lemonade Sumac Sh yellow 3' Br red M-D S.

Rudbeckia occidentalis Niggerhead H 4' weedy M S.

Sagittaria sp. Arrowhead p white 1½' W S.

Salix sp. Alpine Willow Sh creeping under 1' M Cs.

S. anglosum and S. nivilis in vars. possibly S. dodgeana.

Sambucus coerulea Elder Berry Sh white 10' Br blue M S.

"melanocarpa Blackbead Elder Sh white 5' Br black M Fo.

*Saxifraga arguta p white few yellow dots open 1½' W Cs.Fo.

"bronchialis austromontana white 6" tufted d Cr Cs M.

"flagellaris R yellow 3" Alpine M Cr d Cs.

"montanensis M white 8" open M Cs d.

"rhomboides R white 1' compact head M Cs d Dor June.

*Sedum leibergii R yellow 3" compact foliage d M Cs.

"stenopetalum R yellow 6" tufted M Cs d. "rhomboides R white 1' compact head M Cs d Dor June.

*Sedum leibergii R yellow 3" compact foliage d M Cs.

"stenopetalum R yellow 6" tufted M Cs d.

"rosea integrifolium King's Crown p red 8" W d Cs.

*Senecio canus (purshiana) R yellow 9" gray foliage d Df D.M S.

Sibbaldia procumbens R yellow 2" M d S.

Sibbaldia procumbens R yellow 2" M d S.

Sisyrinchium sarmentosum Blue.eyed Grass M S.Fo.

Silene acaulis R pink cushion alpine M Cr d Cs C.

Smelowskia calycina R white 6" gray.left foliage M d Cs.

Smilacina racemosa wg white 1½' Br red M Fo.

"stellata wg whitish 1' Br dark striped F M.

*Solidago elongata Goldenrod wg yellow 3' M S.

"missouriensis R yellow 8" here D.M d S.

Sorbus scopulina Mt. Ash Sh white 8' Br red.orange M.W S.

"sitchensis Sh white 6' Br dull red M Cs.

Spiranthes porrifolia Ladies' Tresses p white 6" W S Dor. Ph.6.

Spiraguea umbellata Pussy Paws R white rosette M S d.

Spiraea caespitosa Sh white, carpeting D.M d Cr S.

"lucida Sh white 2' M S d.

"splendens Sh rose 3' M S.Fo.

Sphaeralcea (Malvastrum) coccinea R brick red 5" D S. Dor.

Streptopus amplexifolius Twisted Stalk wg yellowish 2' Br red F.

*Symphoricarpos occidentalis Snow Berry Sh pink 2' Br white M S.

Synthyris missurica major wg E bright bluish.purple 10" M F.Cs.

"platycarpa R blue.violet 6" M d S. Half size.

Telesonix (Boykinia) heucheriforme R rose 5" d Cr M Cs Ph.8.

Thalictrum sp. Meadowrue wg 2' M Fo.

Thermopsis montana wg yellow 8" M.D S. Goldenpea.

Thuya plicata Western Red Cedar T E 100' M F.

Tiarella unifoliata Lace Flower wg white 8" M F.

Tofieldia glutinosa montana p yellow 8" W S.

Townsendia sericea (exscapa) Easter Daisy R white D.M d S.

"parryi R large lavender flowers 8" showy M d S Ph.7.

Trautvetteria grandis wg showy white 3' M.W Cs.Fo. " parryi R large lavender flowers 8" showy M d S Pl Trautvetteria grandis wg showy white 3' M-W Cs-Fo. Trillium ovatum Bu wg white 8" F-Fo M. Trollius albiflorus Globe Flower p cream-white 14' W Cs. showy M d S Ph-7. Trollius albiflorus Globe Flower p cream.white.

Tsuga heterophylla Western Hemlock T E 80' M.

"mertensiana Mt. Hemlock T E 60' M Cs.

Veronica cusickii R violet 8" tufted M Cs d.

Viola adunca or var. glabra R blue 4" M Cs.Fo.

"bellidifolia R blue 2" M d Cs.

"bellidifolia R blue 2" M d Cs. glabella wg yellow 6" M F.
nuttallii vallicola R yellow 3" d D-M S.
rugulosa wg white 8" spreading M Fo.
orbiculata R wg yellow 2" M Fo.
palustris p white 2" W Cs. *Vaccinium occidentalis Sh p clustered flrs. Br blue 2' W Cs. Xerophyllum tenax Bear Grass E white 3' M Fo C Ph.6. .. Yucca glauca H white 2' D.M d S.*Zigadenus elegans Wand Lily R white gland dark 1' M Cs.

The following ferns are available at \$2.50 per species.

DWARF ROCKERY FERNS (6 or more of each sent)

Cheilanthes gracillina Rock Brake Ph.6.

feei Ph.8.

MF.

tmas

ower.

siliquosa (Cryptogramma densa) Just sometimes.

Cystopteris fragilis Fragile Fern for a mossy bank.

Polypodium hesperium Evergreen and rare here.

Woodsia oregana Smooth Woodsia for shade.
" scopulina Hairy Woodsia more sun tolerant.

15 plants unnamed representing two or more of above species \$2.50.

TALLER WOODS FERNS (three or more sent)

Adiantum pedatum Maiden Hair Fern 114'.

Athyrium filix-femina Lady Fern. Easiest to grow 3'.

Dryopteris spinulosa or var dilitata Wood Fern E 2'.
" filix mas Male Fern 3'.

Polystichum lonchitis Holly Fern E C M d 1'. " munitum Sword or Christmas Fern E 1½'.

Phagepteris dryopteris Western Oak or Beech Fern 8" Cedar Fern to me.

10 plants representing three or more of the above species \$2.50. Duplicate this collection as many times as your fern bed requires.

Baby Evergreens for Forest or Window
18-25 trees of three or more species 4".8" \$2.50.

Christmas greens, winter bouquets, pine cones, moss, and weathered wood are not as a rule collected. I guess I am just not interested, but a fair sample of any for \$2.50 if and when.

Shall I send only current years seed......, or the latest available.....at one-half price? Refund....., back order..., or substitute...? Substitutes also are half-price.

Regarding your order: Don't count too much on items preceded by only one (.) or (.). I know these plants and where they may be found but, for one reason or another, usually because they are not seen at a suitable time, they have not been regularly collected in the past. Neither do I get seed of all of these species every year, about 150 on the average. Sometimes there is no crop or, more likely, I am not there at the right time. I try to get what you want and if your order is on my collecting list you will get the first available.

Plants like Lilium montanum, Habenaria orbiculata, Fritillaria atropurpurea and Cyprepedium faciculatum, rare on areas where I know them, are omitted. Others, like Leucocrinum montanum, Sand Lily; Romanzoffia sitchensis, Mist Maidens; Lychnis apetala, Moss Campion, and Cypripedium calceolus pubescens, Yellow Lady's Slipper, common enough in some sections but as now known to me, inaccessible or unavailable, are also omitted. These and any of the unknowns might become available on any field trip so indicate what you would like.


You will have to hurry. Each year the hills I climb become higher and steeper. Virgin and remote areas become ever more remote. The familiar features of even old friends among the wild flowers appear to my dimming eyes to justify the "new" older names young botanists discover for them. I have sought out, with my hand lens, a number of these new names for this list and trust that they will stand up until they become familiar. Too soon, I must tighten my belt into a new hole farther out and content myself with a limited list of easily accessible and regularly ordered species. Let's become acquainted while I still have youth.

My next published list will, I hope, be cut to 50 species. Will those you want be in the future list? Indicate, if you wish, "in' 'or "out." Do you know someone else who would like to play this "in" and "out" game?

Decapitalization is here used. It is not a crusade with me but laziness. Even the endings may not agree, but if I am using a wrong name for any plant I should appreciate knowing it.

FRANK H. ROSE

Plant Collecting in Montana, Idaho and Northern Wyoming



PENSTEMON FLAVESCENS AND SNOW IN AUGUST

NATIVE PLANTS THAT GROW WILD

In the Northern Rocky Mountain Region

This is α partial list. For several thousand additional species see any manual, book, plant list or bulletin covering the area, including those of Glacier, Yellowstone and Rocky Mountain National Parks.

A wholesale quantity price quoted on any item upon request.

The picture above tells but little of my wide open spaces, that part of the West that is not seen from the highways. I cannot send you the snow-capped peaks, the blue sky or the clear, pine-scented air but Mother Nature has been liberal in her plantings and we are glad to divide items you would like to try in your own small garden. Some plants go dormant in June while others are under snow until July or August. Remote areas are visited infrequently and I do not collect surpluses, so to avoid disappointment let me know soon what you may want.

Good until used. It after year. Return it a	Vative plants do not and a fresh copy wil	change much s l be sent.	so use	this lis	t year
Send dil exita lisi lo:					
	2		- \		
	*	0 - 0			